

PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE	PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE
260-23	Ceramic Anode	.55	-----	265-M2	Hinge	7.75	-----
260-24	Neon Bulb	.25	-----	265-3	Brass Plated	.15	-----
260-26	Heat Sink	.10	-----	265-4	Support L. H.	.45	-----
260-27	Solder Clip	.10	-----	265-5	Support R. H.	.45	-----
260-28	Test Terminal	.25	-----	265-6	Spring Loaded	.20	-----
260-29	Crystal Holding	.20	-----	<b>HINGES</b>			
260-30	Fahnstock	.05	-----	<b>MECHANICAL PARTS</b>			
260-31	Fahnstock	.05	-----	266-2	Linkage Arm Spl.	.65	-----
260-32	Lock	.30	-----	266-3	Rotor Arm Spl.	.90	-----
260-33	Retaining	.45	-----	266-M7	Short Linkage Arm	.10	-----
260-34	Anode Connector	.15	-----	266-M8	Long Linkage Arm	.15	-----
260-35	Coil Contact	.25	-----	266-M9	Linkage Arm	.15	-----
260-36	Wire Retainer	.05	-----	266-10	Brake Release Arm	.25	-----
<b>MOUNTING FEET</b>				266-M11	Linkage Arm Long	.10	-----
261-1	Rubber Feet	.05	-----	266-M12	Linkage Arm Short	.10	-----
261-4	Rubber Feet	.05	-----	266-M13	Linkage Arm Long	.10	-----
261-6	Rubber Feet	.05	-----	266-M14	Linkage Arm Short	.20	-----
261-8	Metal Glides	.10	-----	266-15	Idler Arm	.30	-----
261-9	Rubber Feet	.05	-----	266-17	Steel Ball	.10	-----
261-11	Feet Plastic	.10	-----	266-18	Stop 180°	.15	-----
261-13	Feet Plastic	.10	-----	266-19	Stop 90°	.25	-----
261-16	Plastic Foot	.05	-----	266-M20	Stop	.15	-----
261-17	Foot Plastic	.05	-----	266-21	Fan Blade	.60	-----
261-18	Foot Rubber	.15	-----	266-22	Bar Bail	.50	-----
261-19	Foot Steel	.40	-----	266-23	Support Leg	.70	-----
261-20	Foot Rubber	.15	-----	266-M25	Front Channel	.55	-----
261-21	Foot Rubber	.15	-----	266-M26	Linkage Arm	.15	-----
<b>PINS</b>				266-27	Air Pipe	1.30	-----
262-3	Banana Shank	.25	-----	266-30	Link Arm	1.35	-----
262-4	Spring Catch	.25	-----	266-31	Idler Arm	.55	-----
262-5	Banana Spl.	.30	-----	266-32	Drive Arm Switch	.55	-----
262-M7	Wire Stop	.05	-----	266-33	Drive Arm Switch	.30	-----
262-8	Terminal	.05	-----	266-M34	Linkage Arm	.25	-----
<b>FELT FEET</b>				266-35	Stator Switch	1.00	-----
263-4	½" Cup Tack	.05	-----	266-36	Band Switch	1.00	-----
263-5	Screw Mounting	.05	-----	266-37	Rotor Blade	.30	-----
263-6	½" Dia. Plain	.05	-----	266-38	Rotational Stop	.20	-----
263-7	½" Dia. Taupe	.05	-----	266-M44	Aluminum Slug	.10	-----
<b>NAILS &amp; STAPLES</b>				266-45	Linkage Rod	.10	-----
264-1	Nail Clamp 9/16 x ¼	-----	-----	266-46	Fan Blade	.65	-----
264-2	Nail 3D Finish	-----	-----	266-49	Safety Release Trolley	.60	-----
264-3	Staples Grill Cloth	-----	-----	266-50	Safety Release Chain	1.30	-----
264-4	Wire Brad 1"	-----	-----	266-51	Turn Buckle	.35	-----
264-5	Nails 6D Box	-----	-----	266-52	Connecting Link	.70	-----
264-6	Wire Brad 5/8"	-----	-----	266-53F	Linkage Arm Trolley	2.90	-----
264-7	Wire Brad ¼"	-----	-----	266-54F	Linkage Arm Door	1.45	-----
264-8	Wire Brad 3/8"	-----	-----	266-M55	Beam Trolley	2.90	-----
264-9	Wire Brad ½"	-----	-----	266-56	Stand Retainer	.45	-----
264-10	Carpet Tack	-----	-----	266-58	Snap Fastner	.05	-----
264-11	Nail #9 x ¼ Thread	-----	-----	266-59	Idler Stop	.75	-----

PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE	PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE
266-60	Shaft Stop	.80	-----	344-9	#30 Stranded	.05 ft.	-----
266-61	Transducer Insert	5.00	-----	344-10	#30 Stranded	.05 ft.	-----
266-62	Rotor Disc	.30	-----	344-11	#30 Stranded	.05 ft.	-----
<b>STRAPS</b>				344-12	#30 Stranded	.05 ft.	-----
267-2	Leather GW-21	1.10	-----	344-13	#22 Solid	.05 ft.	-----
<b>CHAIN &amp; BELTS</b>				344-14	#20 Stranded	.05 ft.	-----
268-1	Steel 108½" Long GD-20		-----	344-15	16 Strands #30	.05 ft.	-----
268-2	Link & 268-1 GD-20	5.35	-----	344-16	16 Strands #30	.05 ft.	-----
268-3	V Type Belt GD-20	1.75	-----	344-28	16 Strands #30 Yellow	.05 ft.	-----
<b>WINDOW SCREEN</b>				344-29	16 Strands #30 Blue	.05 ft.	-----
310-4	Plastic Black AK-5	.15	-----	344-30	16 Strands #30 Orange	.05 ft.	-----
<b>FIBRE &amp; SPUN GLASS</b>				344-31	16 Strands #30 Brown	.05 ft.	-----
335-1	Batts 11x15x3	.45	-----	344-32	16 Strands #30 Green	.05 ft.	-----
335-2	Batt ¼ x 2" x 1"	.10	-----	<b>BRAID</b>			
335-4	Packaged Assembly AS-2	1.85	-----	345-1	Braid	.10 ft.	-----
<b>BARE WIRE</b>				345-2	36 x 40 Copper	.10 ft.	-----
340-1	Copper #14	.05 ft.	-----	<b>SLEEVING</b>			
340-2	Copper #20	.05 ft.	-----	346-1	#15 x 1/16" - 1/8"	.05 ft.	-----
340-3	Copper #16	.05 ft.	-----	346-2	3/16" Dia. 5" Lengths	.05 ft.	-----
340-4	Copper #10	.05 ft.	-----	346-3	¼" Dia. Size "O"	.10 ft.	-----
340-6	#11 Manganin	.15 ft.	-----	346-4	#13 Black	.05 ft.	-----
340-8	Copper #22	.05 ft.	-----	346-5	¼" I. D. Plastic	.10 ft.	-----
340-10	7 Strands #26 Copper 75 ft.	1.35	-----	346-6	3/8" ID Fiber	.05 ft.	-----
340-11	Copper #12	.05 ft.	-----	346-7	#5 Plastic x 186 ID	.05 ft.	-----
340-12	Alloy #15	.10 ft.	-----	346-10	3/8" ID Fiberglass	.25 ft.	-----
<b>TEST LEAD WIRE</b>				346-11	¼" ID	.55 ft.	-----
341-1	Black	.05 ft.	-----	346-12	3/32" ID Rubber	.05 ft.	-----
341-2	Red	.05 ft.	-----	<b>CABLE</b>			
<b>SHIELDED WIRE</b>				347-1	8 Conductors #22	.10 ft.	-----
342-1	Shielded	.10 ft.	-----	347-2	Twin 300 Ohm Line	.05 ft.	-----
<b>SHIELDED TEST LEAD WIRE</b>				347-3	2 Conductor Shielded	.10 ft.	-----
343-2	RG 58A/U	.10 ft.	-----	347-7	4 Conductor	.10 ft.	-----
343-3	#22 Plastic	.05 ft.	-----	347-9	3 Conductor Shielded	.10 ft.	-----
343-4	Beldens #8411	.10 ft.	-----	347-13	2 Conductor #12	.20 ft.	-----
343-5	RG-62U (Belden #825A)	.10 ft.	-----	347-14	Coaxial 52 Ohm	.25 ft.	-----
343-6	#33 7 Strands	.05 ft.	-----	347-15	5 Conductor Shielded	.30 ft.	-----
343-7	#34 7 Strands	.15 ft.	-----	347-16	2 Conductor #22 50 ft.	1.50	-----
<b>HOOKUP WIRE</b>				347-18	8 Conductors	.15 ft.	-----
344-1	#22	.05 ft.	-----	347-19	3 Conductor	.15 ft.	-----
344-2	#18 Stranded	.05 ft.	-----	347-20	2 Conductor #22 20 ft.	.85	-----
344-3	Stranded Red	.05 ft.	-----	347-22	3 Conductor #19 50 ft.	1.95	-----
344-5	22 Gauge Stranded	.20 ft.	-----	347-23	3 Conductor	.70	-----
344-6	Solid 18 Ga.	.05 ft.	-----	<b>MAGNET WIRE</b>			
344-7	#14 Stranded	.05 ft.	-----	348-1	#24 Single	.10 ft.	-----
344-8	#30 Stranded	.05 ft.	-----	<b>DIAL CORD</b>			
<b>HOOKUP WIRE</b>				349-1	Dial Cord	.05 ft.	-----
349-2				349-2	Lacing Cord	.05 ft.	-----
349-3				349-3	Dial Cable	.05 ft.	-----

PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE	PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE
349-4	Bead Chain #6 Long	.35 ft.	-----	390-83	XI-1 Battery Box	.10	-----
349-5	Bead Chain #6 Short	.30 ft.	-----	390-85	EA-3 Terminal	.10	-----
349-6	O Ring Belt	.65	-----	390-86	XI-1 Terminal	.10	-----
<b>LABELS</b>				390-88	TT-1 Switch	.10	-----
390-1	GD-1 Set of 8	.10	-----	390-89	US-3 Speaker Carton	.10	-----
390-7	Peak to Peak #338	.10	-----	390-92	TR-1E Adjustment	.10	-----
390-11	Graph Sheet #341-A	.15	-----	390-93	EK-2 Ant. & Output	.10	-----
390-13	Probe Set #375	.10	-----	390-95	US-4 Speaker Carton	.10	-----
390-16	OL-1	.10	-----	390-96	GC-1 Transistor Placement	.10	-----
390-21	CC-1	.35	-----	390-97	AA-20 Control Location	.15	-----
390-22	AR-3	.10	-----	390-98	RM-1 Heathkit Decal	.15	-----
390-32	AM-2 Output	.10	-----	390-101	GW-10 Identification	.10	-----
390-33	AM-2 Input	.10	-----	390-103	R-180 Decal "Heathkit Jr."	.10	-----
390-36	EA-2 Output	.10	-----	390-104	GW-30 Transistor Placement	.15	-----
390-37	EA-2 Input	.10	-----	390-106	DX-60 Terminal Indication	.15	-----
390-38	RX-1 Rear Apron	.10	-----	390-108	AS-21 Instruction	.15	-----
390-39	TX-1 Rear Apron	.10	-----	390-109	AS-31 Instruction	.15	-----
390-40	T-4 Audio-RF	.10	-----	390-110	GD-61 Control Function	.40	-----
390-41	Deviation Chart	.10	-----	390-112	MWW-11 Channel	4.05	-----
390-42	Radio Station Chart	.15	-----	390-113	GD-20 Transmitter ID	.10	-----
390-43	TR-ID Input & Output	.10	-----	390-114	IM-30 Battery Orient	.20	-----
390-44	TR-ID Adjustments	.10	-----	390-115	IT-11 Schematic	.15	-----
390-45	OP-1 Cabinet Bottom	.10	-----	390-117	GW-31 Battery Replace	.10	-----
390-50	TR-1C Input-Output	.10	-----	390-118	GW-31 FCC Part #15	.10	-----
390-51	TR-1C Adjustments	.10	-----	390-119	DM-278 FCC Part #15	.10	-----
390-52	IA-1 Warning CR Tube	.10	-----	390-120	IM-20 Battery Placement	.10	-----
390-53	SB-10	.10	-----	390-121	AA-191 Terminal Indication	.10	-----
390-54	TE-1 Input-Output	.10	-----	390-123	DA-281 Inventory Control	.10	-----
390-55	MK-1 Decal	.10	-----	390-124	GH-10 Solder Label	.10	-----
390-57	TR-1A Function	.10	-----	390-126	DM-348 Channel	.40	-----
390-59	VHF-1 Terminal	.10	-----	<b>NAME PLATES</b>			
390-60	MT-1 Terminal	.10	-----	391-2	Logo-Black	.20	-----
390-62	MR-1 Terminal	.10	-----	391-3	Logo-Silver	.30	-----
390-63	W-IA-1A Tube Placement	.10	-----	391-5	Gold-White-Black	.15	-----
390-64	W-IA-1A Caution	.25	-----	391-6	Logo-Black-Gold	.25	-----
390-65	PM-2 Identification	.10	-----	391-7	Logo-Black-Silver	.25	-----
390-66	OR-1 Identification	.10	-----	391-8	Black-Gold	.10	-----
390-67	SD-1 Network Terminal	.10	-----	391-11	Red-Black-Silver	.15	-----
390-68	KL-1 R. F. Chassis	.20	-----	391-12	Red-Black-Gold	.25	-----
390-69	KL-1 Power Supply	.10	-----	391-13	Red-Black-Silver	.30	-----
390-70	US-1 Speaker Carton	.10	-----	391-14	Red-Black-Gold	.30	-----
390-72	US-2 Speaker Carton	.10	-----	391-15	Spun Aluminum	.40	-----
390-73	SD-1 Amplifier Chassis	.10	-----	391-16	Green-Blue	.15	-----
390-74	MK-4 Terminal	.10	-----	391-17	Red-Black	.30	-----
390-75	KS-1 High Voltage	.15	-----	391-20	Black-Silver	.10	-----
390-76	CB-1 Characters	.10	-----	<b>HORNS</b>			
390-78	AS-2 Instruction	.15	-----	400-1	500 Cps Cutoff	42.00	-----
390-79	XR-2 Parts Placement	.10	-----	400-2	800 Cps Cutoff	27.60	-----
390-81	TCR-1 Parts Placement	.10	-----				

PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE	PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE
<b>SPEAKERS</b>							
401-2	4" P.M.	2.85	-----	401-59	3" Square	2.50	-----
401-6	12" P.M.	7.80	-----	401-M60	Ear Phone	.55	-----
401-9	5½" Square	3.24	-----	401-61	2½" Round	2.35	-----
401-11	2½" Square	2.40	-----	401-62	Ear Phone	.70	-----
401-12	8" P.M.	7.80	-----	401-63	4 x 6 Oval	3.20	-----
401-13	Tweeter	12.45	-----	401-64	12" P.M.	62.50	-----
401-14	Headset Dual	4.25	-----	401-65	15" P.M.	42.14	-----
401-15	15" Woofer	47.60	-----	401-66	5½" P.M.	6.35	-----
401-16	Tweeter	17.55	-----	401-67	3" Tweeter	2.85	-----
401-17	L.F. Driver	76.00	-----	401-69	3½" Square	3.30	-----
401-18	H.F. Driver	68.00	-----	401-70	Headset	23.95	-----
401-19	4 x 6 P.M.	2.70	-----	401-71	3 x 5 Oval	3.10	-----
401-20	3½" Weatherproof	2.35	-----	401-72	3½ x 3½ P.M.	2.55	-----
401-21	3½" P.M.	2.25	-----	401-73	4" Square	1.65	-----
401-22	8" P.M.	5.00	-----	401-74	12" Round	28.91	-----
401-23	4 x 6 Weatherproof	3.45	-----	<b>INDUCTOR CONTROLABLE</b>			
401-24	5" Round	3.20	-----	403-2	Controlable Inductor	13.70	-----
401-25	6 x 9	5.00	-----	<b>CRYSTAL</b>			
401-26	8" Woofer	15.00	-----	404-1	4.5 MC TS-3,4,4A	3.10	-----
401-27	12" P.M.	11.95	-----	404-2	189 KC CD-1	5.30	-----
401-28	10" P.M.	38.40	-----	404-3	3563.795 KC CD-1	3.45	-----
401-29	5" P.M.	4.00	-----	404-4	4.5 MC CD-1	3.10	-----
401-30	4½" P.M.	3.55	-----	404-5	1632-1732 KC RX-1	6.00	-----
401-31	12" Coaxial	19.95	-----	404-6	100 KC RX-1	5.80	-----
401-32	4 x 6 Weather Proof	3.55	-----	404-12	3 MC Filter MR-1	38.50	-----
401-33	4 x 6 P.M.	3.15	-----	404-13	28.0 MC XC-6	4.20	-----
401-34	8" P.M.	6.95	-----	404-14	26.965 MC CB-1	2.95	-----
401-35	3" Square	2.25	-----	404-15	26.975 MC CB-1	2.95	-----
401-36	Ear Phone	.55	-----	404-16	26.985 MC CB-1	2.95	-----
401-37	3" Square	2.05	-----	404-17	27.005 MC CB-1	2.95	-----
401-38	15 Watt Projector	19.95	-----	404-18	27.015 MC CB-1	2.95	-----
401-40	3 x 5 Weatherproof	2.20	-----	404-19	27.025 MC CB-1	2.95	-----
401-41	7½" Round	5.00	-----	404-20	27.035 MC CB-1	2.95	-----
401-42	2 x 6 Tweeter	2.80	-----	404-21	27.055 MC CB-1	2.95	-----
401-43	10" Round	21.80	-----	404-22	27.065 MC CB-1	2.95	-----
401-44	3½" Tweeter	3.45	-----	404-23	27.075 MC CB-1	2.95	-----
401-45	8" P.M.	29.95	-----	404-24	27.085 MC CB-1	2.95	-----
401-46	12" P.M.	34.30	-----	404-25	27.105 MC CB-1	2.95	-----
401-47	12" P.M.	72.50	-----	404-26	27.115 MC CB-1	2.95	-----
401-48	12" P.M.	91.80	-----	404-27	27.125 MC CB-1	2.95	-----
401-49	15" P.M.	134.50	-----	404-28	27.135 MC CB-1	2.95	-----
401-50	15" P.M.	177.00	-----	404-29	27.155 MC CB-1	2.95	-----
401-51	5 x 7 Oval	4.05	-----	404-30	27.165 MC CB-1	2.95	-----
401-52	12" Round	6.10	-----	404-31	27.175 MC CB-1	2.95	-----
401-53	7½" Round	3.70	-----	404-32	27.185 MC CB-1	2.95	-----
401-54	5" Round	2.70	-----	404-33	27.205 MC CB-1	2.95	-----
401-55	12" P.M.	53.00	-----	404-34	27.215 MC CB-1	2.95	-----
401-56	H. F. Driver	55.00	-----	404-35	27.225 MC CB-1	2.95	-----
401-57	6 x 9 Oval	5.30	-----				
401-58	8" Round	7.50	-----				

PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE	PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE
404-36	27.255 MC CB-1	2.95	-----	404-86	27.205 MC GW-30	2.95	-----
404-37	61.000 MC XC-2	4.65	-----	404-87	27.215 MC GW-30	2.95	-----
404-38	10.0 MC FMO-1	4.35	-----	404-88	27.225 MC GW-30	2.95	-----
404-39	10.7 MC FMO-1	4.45	-----	404-89	27.255 MC GW-30	2.95	-----
404-40	Transfilter 455 KC GC-1	1.05	-----	404-90	4990 KC Filter HX-20	54.40	-----
404-41	Transfilter 455 KC GC-1	.90	-----	404-91	4990 KC HX-20	2.95	-----
404-42	3.01 MC Filter MR-1	41.20	-----	404-92	4010 KC HX-20	2.95	-----
404-43	100 KC HD-20	5.00	-----	404-93	13.990 MC HX-20	2.95	-----
404-44	27.420 MC GW-10	2.95	-----	404-94	3500 KC HX-20	2.95	-----
404-45	27.430 MC GW-10	2.95	-----	404-95	10.5 MC HX-20	2.95	-----
404-46	27.440 MC GW-10	2.95	-----	404-96	17.5 MC HX-20	2.95	-----
404-47	27.460 MC GW-10	2.95	-----	404-97	24.5 MC HX-20	2.95	-----
404-48	27.470 MC GW-10	2.95	-----	404-98	25.0 MC HX-20	2.95	-----
404-49	27.480 MC GW-10	2.95	-----	404-99	25.5 MC HX-20	2.95	-----
404-50	27.490 MC GW-10	2.95	-----	404-100	3400 KC HX-10	2.95	-----
404-51	27.510 MC GW-10	2.95	-----	404-101	10.400 KC HX-10	2.95	-----
404-52	27.520 MC GW-10	2.95	-----	404-102	17.4 MC HX-10	2.95	-----
404-53	27.530 MC GW-10	2.95	-----	404-103	24.4 MC HX-10	2.95	-----
404-54	27.540 MC GW-10	2.95	-----	404-104	25.6 MC HX-10	2.95	-----
404-55	27.560 MC GW-10	2.95	-----	404-105	3093 KC MWW-11	2.95	-----
404-56	27.570 MC GW-10	2.95	-----	404-106	2637 KC MWW-11	2.95	-----
404-57	27.580 MC GW-10	2.95	-----	404-107	2638 KC MWW-11	2.95	-----
404-58	27.590 MC GW-10	2.95	-----	404-108	2182 KC MWW-11	2.95	-----
404-59	27.610 MC GW-10	2.95	-----	404-109	27.105 MC R-220	2.95	-----
404-60	27.620 MC GW-10	2.95	-----	404-110	2003 KC MWW-11	2.95	-----
404-61	27.630 MC GW-10	2.95	-----	404-111	2009 KC MWW-11	2.95	-----
404-62	27.640 MC GW-10	2.95	-----	404-112	2031.5 KC MWW-11	2.95	-----
404-63	27.660 MC GW-10	2.95	-----	404-113	2118 KC MWW-11	2.95	-----
404-64	27.670 MC GW-10	2.95	-----	404-114	2126 KC MWW-11	2.95	-----
404-65	27.680 MC GW-10	2.95	-----	404-115	2134 KC MWW-11	2.95	-----
404-66	27.710 MC GW-10	2.95	-----	404-116	2142 KC MWW-11	2.95	-----
404-67	26.965 MC GW-30	2.95	-----	404-117	2158 KC MWW-11	2.95	-----
404-68	26.975 MC GW-30	2.95	-----	404-118	2166 KC MWW-11	2.95	-----
404-69	26.985 MC GW-30	2.95	-----	404-119	2198 KC MWW-11	2.95	-----
404-70	27.005 MC GW-30	2.95	-----	404-120	2206 KC MWW-11	2.95	-----
404-71	27.015 MC GW-30	2.95	-----	404-121	2214 KC MWW-11	2.95	-----
404-72	27.025 MC GW-30	2.95	-----	404-122	2350 KC MWW-11	2.95	-----
404-73	27.035 MC GW-30	2.95	-----	404-123	2366 KC MWW-11	2.95	-----
404-74	27.055 MC GW-30	2.95	-----	404-124	2382 KC MWW-11	2.95	-----
404-75	27.065 MC GW-30	2.95	-----	404-125	2390 KC MWW-11	2.95	-----
404-76	27.075 MC GW-30	2.95	-----	404-126	2406 KC MWW-11	2.95	-----
404-77	27.085 MC GW-30	2.95	-----	404-127	2430 KC MWW-11	2.95	-----
404-78	27.105 MC GW-10	2.95	-----	404-128	2458 KC MWW-11	2.95	-----
404-79	27.115 MC GW-30	2.95	-----	404-129	2572 KC MWW-11	2.95	-----
404-80	27.125 MC GW-30	2.95	-----	404-130	2738 KC MWW-11	2.95	-----
404-81	27.135 MC GW-30	2.95	-----	404-131	2782 KC MWW-11	2.95	-----
404-82	27.155 MC GW-30	2.95	-----	404-132	2784 KC MWW-11	2.95	-----
404-83	27.165 MC GW-30	2.95	-----	404-133	2830 KC MWW-11	2.95	-----
404-84	27.175 MC GW-30	2.95	-----	404-134	2669 KC MWW-11	2.95	-----
404-85	27.185 MC GW-30	2.95	-----	404-135	2805 KC MWW-11	2.95	-----

PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE	PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE
404-136	2905 KC MWW-11	2.95	-----	406-4	Compass EK-1	.10	-----
404-137	2913 KC MWW-11	2.95	-----	406-5	Clock DC TCR-1	11.60	-----
404-138	2921 KC MWW-11	2.95	-----	406-7	Clock AC GR-121	7.40	-----
404-139	2937 KC MWW-11	2.95	-----	<b>INSTRUMENTS</b>			
404-140	2945 KC MWW-11	2.95	-----	<b>METER</b>			
404-141	2961 KC MWW-11	2.95	-----	407-3	0-15 Voltmeter BE-2	3.25	-----
404-142	2969 KC MWW-11	2.95	-----	407-4	100-0-100 MA IB-1	11.10	-----
404-143	2977 KC MWW-11	2.95	-----	407-5	400 MA. 250 MV. M-1	13.55	-----
404-144	2985 KC MWW-11	2.95	-----	407-7	200 Microampere AF-1	10.75	-----
404-145	2993 KC MWW-11	2.95	-----	407-8	200 Microamp AV-1	10.75	-----
404-146	3005 KC MWW-11	2.95	-----	407-11	0-15 Ammeter BE-3	2.65	-----
404-147	3013 KC MWW-11	2.95	-----	407-12	GD-1	11.75	-----
404-148	3021 KC MWW-11	2.95	-----	407-13	0-1 Milliammeter TC-2	10.40	-----
404-149	3027 KC MWW-11	2.95	-----	407-14	Suppressed DC VT-1	5.00	-----
404-150	3037 KC MWW-11	2.95	-----	407-15	0-15 Milliampere BT-1	5.00	-----
404-151	3045 KC MWW-11	2.95	-----	407-17	0-50 Microammeter QM-1	13.65	-----
404-152	3053 KC MWW-11	2.95	-----	407-18	PS-2	11.30	-----
404-153	3193 KC MWW-11	2.95	-----	407-20	0-150 AC Volt IT-1	5.00	-----
404-154	3237 KC MWW-11	2.95	-----	407-22	200 Microampers AW-1	10.80	-----
404-155	3239 KC MWW-11	2.95	-----	407-23	MM-1	18.40	-----
404-156	3285 KC MWW-11	2.95	-----	407-24	0-100 Microamp AM-1	12.10	-----
404-157	27.420 MC GW-21	2.95	-----	407-25	200 Microampere LG-1	8.80	-----
404-158	27.430 MC GW-21	2.95	-----	407-28	50 Microampere CM-1	13.45	-----
404-159	27.440 MC GW-21	2.95	-----	407-29	200 Microampere AA-1	10.70	-----
404-160	27.460 MC GW-21	2.95	-----	407-31	0-1 Milliampere CC-1	10.50	-----
404-161	27.470 MC GW-21	2.95	-----	407-32	200 Microampere RC-1	10.60	-----
404-162	27.480 MC GW-21	2.95	-----	407-33	3 MA DX-35	5.00	-----
404-163	27.490 MC GW-21	2.95	-----	407-34	5 MA FD-1	12.80	-----
404-164	27.510 MC GW-21	2.95	-----	407-35	10-0-10 Microammeter ES-420	34.80	-----
404-165	27.520 MC GW-21	2.95	-----	407-37	200 Microamp TR-1	11.50	-----
404-166	27.530 MC GW-21	2.95	-----	407-39	200 Microampere PM-1	10.10	-----
404-167	27.540 MC GW-21	2.95	-----	407-40	0-100 MA W-6M	3.85	-----
404-168	27.560 MC GW-21	2.95	-----	407-41	5-0-5 DC MA ED-1	8.40	-----
404-169	27.570 MC GW-21	2.95	-----	407-42	25 DC Ampere MC-1	9.50	-----
404-170	27.580 MC GW-21	2.95	-----	407-43	0-100 Microammeter AM-2	10.65	-----
404-171	27.590 MC GW-21	2.95	-----	407-44	Spl. Movement CI-1	12.90	-----
404-172	27.610 MC GW-21	2.95	-----	407-45	0-1 Milliammeter DF-1	7.90	-----
404-173	27.620 MC GW-21	2.95	-----	407-46	3 Mill. DX-40	8.40	-----
404-174	27.630 MC GW-21	2.95	-----	407-47	500-0-500 Microamperes RI-1	9.20	-----
404-175	27.640 MC GW-21	2.95	-----	407-48	0-5 MA FD-1	8.55	-----
404-176	27.660 MC GW-21	2.95	-----	407-49	1 MA TX-1	7.40	-----
404-177	27.670 MC GW-21	2.95	-----	407-50	1 MA RX-1	8.30	-----
404-178	27.680 MC GW-21	2.95	-----	407-51	0-500 Microampere TI-1	8.30	-----
404-179	27.710 MC GW-21	2.95	-----	407-52	15 MA PT-1	3.70	-----
404-180	3125 KC MWW-11	2.95	-----	407-53	0-1 MA TC-3	9.10	-----
404-181	2670 KC MWW-11	2.95	-----	407-54	0-200 Microammeter SB-10	11.85	-----
404-184	Filter 1680.7 KC HR-10	5.00	-----	407-55	0-1 MA VHF-1	9.10	-----
404-185	Filter 1682.4 KC HR-10	5.00	-----	407-56	0-1 MA PS-4	7.70	-----
				407-57	0-150 MA PS-4	8.05	-----
				407-58	50-0-50 Microamp EC-1	11.00	-----

PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE	PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE
407-59	0-1 MA MR-1	7.95	-----	411-24	12AT7	1.62	-----
407-60	0-1 MA MT-1	7.70	-----	411-25	12AU7	1.30	-----
407-61	0-200 $\mu$ A PM-2	9.55	-----	411-26	12AX7	1.35	-----
407-62	200 $\mu$ A V-7A	9.00	-----	411-27	12SH7	2.12	-----
407-63	0-1 MA EK-1	4.35	-----	411-28	1619	1.05	-----
407-64	0-1 MA KL-1	14.50	-----	411-29	1626	2.65	-----
407-65	0-1 MA KL-1	14.00	-----	411-30	1629	1.90	-----
407-66	AC-DC for TT-1	25.70	-----	411-32	OD3/VR150	1.44	-----
407-67	0-1 MA DF-3	8.30	-----	411-35	5V4G	1.67	-----
407-68	0-1 MA GC-1	3.55	-----	411-36	6AC7	2.57	-----
407-69	V-U HD-19	16.00	-----	411-39	12SL7GT	1.99	-----
407-70	0-1 MA IP-10	9.00	-----	411-40	6AL5	.98	-----
407-71	3 MA IT-10	3.25	-----	411-41	OC3/VR105	1.50	-----
407-73	0-500 $\mu$ A GD-1B	8.45	-----	411-42	6AK6	1.40	-----
407-74	0-1 MA HW-20	3.70	-----	411-44	6AF4	2.12	-----
407-75	0-200 MA IM-10	12.45	-----	411-45	5881	3.50	-----
407-76	0-1 MA DX-60	9.45	-----	411-46	OB2	2.60	-----
407-77	0-1 MA AJ-30	3.40	-----	411-47	1625	.90	-----
407-78	0-1 MA HA-10	10.00	-----	411-49	5UP1	12.24	-----
407-80	0-1 MA HX-20	7.85	-----	411-50	12BE6	.93	-----
407-81	0-1 MA HX-10	10.60	-----	411-51	12BA6	.87	-----
407-82	0-1 MA MWW-11	3.30	-----	411-52	12AV6	.87	-----
407-83	10-0-10 $\mu$ A IM-30	16.50	-----	411-55	35W4	.53	-----
407-84	0-1 MA IM-20	4.95	-----	411-56	1U4	1.33	-----
407-85	0-200 $\mu$ A IM-21	12.15	-----	411-57	1L4	1.40	-----
407-86	0-1 MA HR-20	7.85	-----	411-58	6AB4	1.14	-----
407-87	0-1 MA HM-10	8.00	-----	411-59	OA2	1.46	-----
407-88	0-3 MA HX-11	5.00	-----	411-60	6AQ5	1.14	-----
407-89	0-1 MA IP-20	8.45	-----	411-61	6AV5GT	2.12	-----
407-90	0-2 MA HR-10	5.00	-----	411-63	6CL6	1.99	-----
<b>METER CASE</b>				411-64	6 x 4	.87	-----
408-M3	BT-1 & RS-1	.80	-----	411-65	1 v 2	1.11	-----
408-M5	MM-1	3.90	-----	411-67	6CB6	1.19	-----
408-6	ET-1	1.00	-----	411-68	6AN8	1.90	-----
408-M7	General	.75	-----	411-69	12BY7	1.70	-----
<b>METER FACE</b>				411-71	6BQ7A	2.09	-----
409-1	Clear Plastic	1.20	-----	411-72	6BX7GT	2.12	-----
<b>TUBE</b>				411-73	12BH7	1.62	-----
411-1A	5BP1 Special	4.50	-----	411-74	KT66	4.50	-----
411-2	5U4GB	1.11	-----	411-75	6146	5.00	-----
411-3	5Y3GT	.93	-----	411-76	5R4GY	2.03	-----
411-4	6C4	1.35	-----	411-77	5763	2.53	-----
411-8	6L6 or 6L6G	2.23	-----	411-78	5879	1.85	-----
411-9	6V6	1.14	-----	411-79	6J6	1.48	-----
411-11	6AU6	1.60	-----	411-80	6U8	1.75	-----
411-13	6SJ7 or 6SJ7GT	1.96	-----	411-83	1U5	1.17	-----
411-14	6SL7GT	1.86	-----	411-84	3V4	1.33	-----
411-15	6SN7GT	1.38	-----	411-85	6D4	2.85	-----
411-17	6X5 or 6X5GT	1.11	-----	411-90	6BA6	1.06	-----
				411-91	6BE6	1.17	-----

PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE	PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE
411-92	12X4	1.01	-----	411-153	12AU7	1.30	-----
411-93	6080	5.35	-----	411-154	12DQ6A	2.23	-----
411-94	5651	1.78	-----	411-155	50C5	1.14	-----
411-95	6BH6	2.05	-----	411-156	6AX4	1.40	-----
411-96	6AW8	1.96	-----	411-157	35HB8	2.35	-----
411-97	6DQ6A	2.20	-----	411-158	17C9	3.45	-----
411-98	6BA8	1.96	-----	411-159	6CH8	1.91	-----
411-100	Ballast 10-4C	1.76	-----	411-160	EF-184/6EJ7	1.45	-----
411-101	1B3CT	1.54	-----	411-161	6EB8	1.96	-----
411-102	6550	4.95	-----	411-162	18FX6	1.20	-----
411-103	2D21	1.29	-----	411-163	18FW6	1.12	-----
411-104	12V6	1.14	-----	411-164	18FY6	.92	-----
411-105	6CS6	1.25	-----	411-165	34GD5	1.11	-----
411-106	EF86	1.38	-----	411-166	36AM3	.84	-----
411-108	EL84	1.30	-----				
411-109	6DE7	1.60	-----		<b>LAMPS</b>		
411-110	EZ81	1.05	-----	412-1	#47 Pilot	.15	-----
411-111	12CA5	1.33	-----	412-2	3 Watt 120V	.60	-----
411-112	6CA7 or EL34	2.90	-----	412-3	Neon NE51	.40	-----
411-113	6BJ7	1.67	-----	412-4	#50 Pilot	.15	-----
411-114	6AU8	1.86	-----	412-5	#91 Pilot	.15	-----
411-115	5ADP2	28.30	-----	412-6	#14 Pilot	.15	-----
411-116	HV173	15.70	-----	412-7	Neon	.35	-----
411-117	HV176			412-10	Neon	.85	-----
411-119	2E26	3.35	-----	412-11	NE2 Neon	.25	-----
411-120	6E5	1.59	-----	412-12	Neon	.35	-----
411-121	6BS8	1.99	-----	412-13	Neon	.35	-----
411-122	6T8	1.80	-----	412-14	Pilot #44	.15	-----
411-124	6EA8	1.67	-----	412-15F	NE-2H	.20	-----
411-125	6AK5	2.23	-----	412-16	#49 Pilot	.20	-----
411-126	6BZ6	1.19	-----	412-17	#53 Pilot	.15	-----
411-128	6BN8	1.43	-----	412-18	#1490 Pilot	.15	-----
411-129	4-400A	48.00	-----	412-19	#1804	.30	-----
411-130	866A	3.10	-----	412-20	#47 Pilot Frosted	.20	-----
411-131	6DZ7	2.62	-----	412-21	Glo U-35A Strobe	5.00	-----
411-132	EM-84	1.48	-----				
411-133	7199	1.75	-----		<b>JEWEL</b>		
411-134	6AM4	3.13	-----	413-2	Red Faceted	.25	-----
411-136	GZ34	2.10	-----	413-3	Red Plastic	.10	-----
411-137	3A4	1.25	-----	413-5	Clear Red	.20	-----
411-138	7591	1.62	-----	413-6	Clear Red	.35	-----
411-139	6ME5	1.85	-----	413-7	Clear Glass	.75	-----
411-140	OC2	1.50	-----				
411-141	6BJ6	1.38	-----		<b>GRID SCREEN</b>		
411-142	3RP-1	14.25	-----	414-2	Green O-9	.20	-----
411-143	6EU7	1.38	-----	414-3	Green IA-1	.25	-----
411-144	6AQ6	1.27	-----	414-4	OM-2	.20	-----
411-145	6360	5.15	-----	414-5	Graticule Window OP-1	.90	-----
411-151	811A	6.90	-----	414-M6	Green OP-1	.35	-----
411-152	7695	1.56	-----	414-7	Green IA-1A	.30	-----
				414-8	Graticule Window IO-10	.85	-----
				414-9	Green IO-10	.30	-----



PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE	PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE
414-10F349	Screen Plate IO-20	.90	-----	417-33	R-424	4.50	-----
414-11	Green IO-30	.30	-----	417-34	600RFA	.75	-----
414-12	Green IOS-10	.75	-----	417-35	TS-603	.70	-----
<b>RECORD CHANGER &amp; TURN TABLES</b>				417-36	R-425	2.50	-----
415-4	SD-1	36.30	-----	417-37	2N1726	2.65	-----
415-5	AD-10	23.80	-----	417-38	2N1727	2.55	-----
415-6	GD-10	31.30	-----	417-39	2N1108 Special	1.55	-----
415-7	GD-31	35.00	-----	417-40	T-6025	1.20	-----
415-8	HFS-28	65.90	-----	417-41	T-6026	.90	-----
415-10	AD-30	29.20	-----	417-47	T-1577	.75	-----
415-11	GDW-41W	32.70	-----	417-50	363	1.55	-----
415-12	ADP-21	124.95	-----	417-51	2N185 Cylindrical	1.35	-----
415-13	ADP-61A	77.10	-----	417-53	T-1364	1.40	-----
<b>TAPE DECK</b>				<b>BATTERIES</b>			
416-2	Deck Parts TR-1A	59.10	-----	418-1	1½ Volt Type C	.20	-----
416-3	ADP-42	139.95	-----	418-3	1½ V Penlite Size AA	.15	-----
416-4	ADP-32	215.58	-----	418-4	67½ Volt	5.00	-----
<b>TRANSISTORS</b>				418-5	1½ Volt Type D	.20	-----
417-1	2N109	3.10	-----	418-6	9 Volt	1.60	-----
417-2	2N252	2.95	-----	418-8	9 Volt	2.45	-----
417-3	2N253	2.20	-----	418-9	9 Volt	1.10	-----
417-4	2N254	3.10	-----	<b>CHEMICALS</b>			
417-5	2N238	1.20	-----	419-1	Radioactive Sample	4.40	-----
417-6	2N185	1.20	-----	<b>MOTOR ELECTRIC</b>			
417-7	2N308	2.95	-----	420-1	7½ V DC DS-1	7.55	-----
417-8	2N309	2.95	-----	420-3	2 Pole Shaded AC TX-1	5.00	-----
417-11	2N1108	1.30	-----	420-4	AC With Blower KL-1	11.80	-----
417-12	2N1110	1.40	-----	420-5	AC Split Phase GD-20	20.40	-----
417-13	2N1111	1.40	-----	420-6	12.5 V DC DM-234	8.40	-----
417-14	2N373	2.25	-----	<b>FUSES</b>			
417-15	2N374	2.65	-----	421-1	1½ Amp.	.10	-----
417-16	2N544	2.70	-----	421-2	3 Amp.	.10	-----
417-17	R-250	1.35	-----	421-3	2 Amp SB	.25	-----
417-18	2N408	1.35	-----	421-4	8 Amp.	.25	-----
417-19	R-270	3.00	-----	421-5	4 Amp. Slo-Blow	.20	-----
417-20	R-265	2.55	-----	421-6	3 Amp. Slow-Blow	.35	-----
417-21	2N1274	1.20	-----	421-7	15 Amp.	.10	-----
417-22	2N1107	1.40	-----	421-8	7½ Amp.	.10	-----
417-23	2N1109	1.40	-----	421-9	7 Amp. Slow-Blow	.25	-----
417-24	R-251	1.30	-----	421-11	15 Amp.	.25	-----
417-25	2N1396	5.00	-----	421-12	1/8 Ampere	.30	-----
417-26	2N1225	5.00	-----	421-13	½ Ampere	.15	-----
417-27	2N409	1.60	-----	421-14	25 Ampere	.10	-----
417-28	2N407	1.20	-----	421-16	1½ Amp.	.25	-----
417-29	2N1147	5.00	-----	421-17	¼ Ampere	.20	-----
417-30	CDT1337	3.90	-----	421-18	20 Ampere	.10	-----
417-31	600RF	.60	-----	421-19	¼ Ampere	.15	-----
417-32	2N383	1.45	-----	421-20	½ Amp. Slo-Blow	.30	-----
				421-21	15 Amp.	.20	-----

PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE	PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE
421-22	¼ Ampere Slo-Blow	.35	-----	426-2	Binding Post	.50	-----
421-23	1 Amp Slo-Blow	.30	-----	<b>BINDING POST BASE</b>			
421-24	1½ Amp Slo-Blow	.30	-----	427-1	Binding Post Base	.25	-----
421-25	1½ Amp Slo-Blow	.25	-----	427-2	Binding Post Base	.10	-----
421-26	1/8 Amp Slo-Blow	.30	-----	427-3	Binding Post Base	.10	-----
421-27	1/16 Amp Slo-Blow	.30	-----	<b>BINDING POST CAP</b>			
421-29	¼ Amp Slo-Blow	.39	-----	428-1	Binding Post Cap	.10	-----
421-30	10 Ampere	.10	-----	<b>PHONO CARTRIDGE STYLUS</b>			
421-32	5 Ampere	.10	-----	429-2	1 Mil Diamond	9.75	-----
<b>FUSE BLOCK</b>				429-3	3 Mil Sapphire	1.96	-----
422-1	Fuse Block Std.	.20	-----	429-4	.7 Mil Diamond	11.76	-----
422-2	Dual Rectifier Holder	.40	-----	429-6	.8 Mil Diamond	7.48	-----
<b>FUSE HOLDER</b>				429-7	.7 Mil Diamond & 3 Mil Sapphire	6.76	-----
423-1	1-9/16" Max. Length	.50	-----	429-8	.7 Mil Diamond	9.95	-----
423-2	1-3/64" Max. Length	.55	-----	429-9	.7 Mil Diamond	8.08	-----
423-3	Single Candelabra	.45	-----	429-10	.7 Mil Diamond & 3 Mil Sapphire	4.95	-----
423-4	Screw in Cap	.60	-----	<b>TERMINAL STRIPS</b>			
423-6	(In Line) for 3AG Fuse	1.05	-----	431-1	1 Lug 1 Foot	.10	-----
<b>PHONO ACCESSORIES</b>				431-2	2 Lug 1 Foot	.10	-----
424-2	45 RPM Spindle ADA-60-1	3.80	-----	431-3	3 Lug 1 Foot	.10	-----
<b>PICKUP HEADS</b>				431-4	3 Lug 1 Foot	.10	-----
425-2	Tape Erase TR-1D,E	3.00	-----	431-5	4 Lug 1 Foot	.10	-----
425-3	Tape Record TR-1D,E	7.60	-----	431-6	2 Screw	.10	-----
425-4	Tape Head Stereo TR-1D	10.40	-----	431-7	6 Screw	.20	-----
425-5	Tape Playback TR-1C	5.00	-----	431-8	3 Screw	.10	-----
425-10	Phono Ceramic SD-1	24.25	-----	431-10	2 Lug 1 Gnd.	.10	-----
425-12	Tape Erase MK-4	5.00	-----	431-11	4 Lug 1 Gnd.	.10	-----
425-13	Tape Record-Play MK-4	11.50	-----	431-12	3 Lug 1 Gnd.	.10	-----
425-14	Tape Head Assembly MK-4	21.50	-----	431-13	4 Screw	.15	-----
425-15	Tape Erase MK-5	8.50	-----	431-14	1 Lug 1 Gnd.	.10	-----
425-16	Tape Record-Play MK-5	10.00	-----	431-15	1 Lug 1 Foot	.10	-----
425-17	Tape Head Assembly MK-5	18.50	-----	431-16	1 Lug 1 Gnd.	.10	-----
425-18	Tape Playback TR-1E	15.00	-----	431-17	5 Screw	.15	-----
425-19	Tape Head Assembly TR-1E	25.60	-----	431-18	2 Lug 1 Foot	.25	-----
425-20	Phono Stereo GE VR227	24.45	-----	431-19	5 Lug	.15	-----
425-21	Phono Stereo Shure M7D	23.52	-----	431-20	6 Lug	.20	-----
425-22	Phono Stereo EV 31 MD-7	23.52	-----	431-21	4 Screw	.55	-----
425-23	Phono Stereo Sonotone 8TA4-SD	10.29	-----	431-22	Meter Mtg.	.55	-----
425-24	Tape Record-Play AD-40	12.00	-----	431-23	Board (Special)	.25	-----
425-25	Tape Erase AD-40	8.40	-----	431-24	Board Battery	.15	-----
425-26	Tape Head Assembly AD-40	20.40	-----	431-25	1 Lug 1 Foot	.10	-----
425-27	Phono Stereo GE VR227	24.45	-----	431-26	1 Lug 1 Foot	.10	-----
425-28	Phono Stereo Shure M8-D	16.50	-----	431-27	3 Lug 1 Foot	.10	-----
425-29	Phono Stereo Acos 73-5D	8.95	-----	431-28	3 Lug 1 Foot	.10	-----
425-30	Tape Record-Play AD-40	12.00	-----	431-29	3 Screw	.70	-----
425-31	Tape Erase AD-40	8.40	-----				
425-32	Phono Stereo GE VR-1000	24.45	-----				

PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE	PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE
431-30	2 Screw	.50	-----	432-32	Two Contact Female	.45	-----
431-32	2 Lug 1 Gnd.	.10	-----	432-33	Battery	.25	-----
431-33	3 Lug 1 Gnd.	.10	-----	432-34	Male 15 Contact	1.10	-----
431-35	7 Lug 2 Feet	.10	-----	432-35	Female 15 Contact	1.75	-----
431-36	Board 8 Lug	.55	-----	432-36	Male Lock Plug	.75	-----
431-38	2 Lug 1 Foot	.10	-----	432-37	Two Contact Female	1.15	-----
431-39	4 Lug 1 Foot	.10	-----	432-38	Male Two Contact	1.10	-----
431-40	3 Lug 1 Gnd.	.10	-----	432-39	Female Two Contact	.95	-----
431-41	2 Lug 1 Gnd.	.10	-----	432-40	Male 3 Contact	2.05	-----
431-42	4 Lug 1 Gnd.	.10	-----	432-41	Female 3-Contact	3.50	-----
431-43	3 Lug 1 Gnd.	.10	-----	432-42	Battery Male	.10	-----
431-44	3 Lug 1 Gnd.	.10	-----	432-43	Battery Female	.10	-----
431-45	5 Lug 1 Gnd.	.10	-----	432-44	Battery Set	.20	-----
431-46	2 Lug 1 Gnd.	.10	-----	432-45	Male 12 Contact	.95	-----
431-49	9 Lug 2 Feet	.15	-----	432-46	Female 12 Contact	1.80	-----
431-50	1 Lug 1 Foot	.10	-----				
431-51	2 Lug 1 Foot	.10	-----		<b>SOCKETS</b>		
431-53	Solderless 5 Term.	.10	-----	434-1	Blank Ring Mount	.15	-----
431-54	2 Screw	.10	-----	434-2	Octal Black Saddle	.10	-----
431-55	5 Lug 1 Foot	.10	-----	434-4	Octal Black Ring	.25	-----
431-57	1 Lug 1 Foot	.10	-----	434-6	Loctal Black Ring	.40	-----
431-62	2 Lug 1 Foot	.10	-----	434-9	4-Prong Black Ring	.25	-----
	<b>CONNECTORS</b>			434-10	Hytron 5 Prong	.25	-----
432-1	Female Output	.40	-----	434-11	5 Prong Black Ring	.25	-----
432-3	Male Output	.25	-----	434-12	6 Prong Black Ring	.25	-----
432-4	Line Cord	.10	-----	434-13	7 Prong Black Ring	1.00	-----
432-5	Female	.65	-----	434-14	7 Prong Min. Molded	.30	-----
432-7	Battery	.25	-----	434-15	7 Prong Min. Wafer	.10	-----
432-8	4 Pin Female	.60	-----	434-16	9 Pin Wafer	.10	-----
432-9	8 Pin Female	.95	-----	434-17	9 Prong Min. Ring	.55	-----
432-10	16 Pin Female	2.10	-----	434-19	2 Prong Speaker	.10	-----
432-12	4 Pin Male	1.30	-----	434-20	110V 2 Prong	.15	-----
432-13	Male 2 Pin	1.30	-----	434-21	Pilot Lamp	.10	-----
432-14	Battery Male	.10	-----	434-22	Pilot Light	.45	-----
432-15	Battery Female	.10	-----	434-23	Candelabra Lamp	.20	-----
432-16	Microphone	.50	-----	434-26	14 Contact Crt	.75	-----
432-17	Female	.10	-----	434-27	4 Prong	.10	-----
432-18	Male	.10	-----	434-31	Octal	.10	-----
432-19	9 Pin	.45	-----	434-34	7 Prong Min.	.15	-----
432-20	Male 6 Contact	1.75	-----	434-35	7 Prong Min. Ceramic	.35	-----
432-21	Female 6 Contact	2.05	-----	434-36	9 Prong Min. Ceramic	.40	-----
432-22	Male 6 Contact	1.35	-----	434-37	7 Pin Wafer	.10	-----
432-23	Female 4 Prong	1.15	-----	434-38	Crystal	.20	-----
432-24	Male 4 Prong	1.35	-----	434-39	Octal Mica Saddle	.15	-----
432-25	Female 6 Contact	1.65	-----	434-40	Coil 3 Prong	.45	-----
432-26	Male 6 Contact	1.15	-----	434-41	12 Contact	.25	-----
432-27	Cable Adaptor	.40	-----	434-42	Phono Connector	.10	-----
432-29	Two Contact Male	1.20	-----	434-43	9 Pin	.20	-----
432-30	Two Contact Female	1.20	-----	434-44	Pilot Lite	.15	-----
432-31	Two Contact Male	.40	-----	434-45	7 Pin Saddle Mount	.10	-----

PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE	PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE
434-46	9 Pin Saddle Mount	.10	-----	434-108	3 Terminal Transistor	.15	-----
434-47	Pilot Lite Screw Type	.10	-----	434-109	110V Three Prong	.55	-----
434-48	11 Prong Wafer	.25	-----	434-110	4 Terminal Transistor	.45	-----
434-51	8 Pin Sub Min.	1.10	-----	434-111	7 Pin Vibrator	.25	-----
434-53	Octal Saddle	.15	-----	434-112	7 Pin Molded	.10	-----
434-54	Octal Wafer	1.75	-----	434-114	110V Ceramic	.40	-----
434-56	9 Pin Min.	.15	-----	434-M115	Pilot Light	.15	-----
434-57	Candelabra Lamp	.20	-----	434-116	5 Terminal Transistor	.30	-----
434-58	Octal Saddle	.25	-----	434-117	3 Terminal Transistor	.20	-----
434-61	5 Pin Sub Min.	.25	-----	434-118	11 Pin Molded	.40	-----
434-62	Thyrde Tube	.30	-----	434-119	5 Pin Nuviater	.25	-----
434-64	Pilot Lamp Red	.60	-----	434-120	9 Pin Novar	.20	-----
434-66	Pilot Lamp Green	1.80	-----	434-121	12 Pin Compactron	.20	-----
434-67	Pilot Lamp Red	1.80	-----	434-122	10 Pin Min.	.20	-----
434-68	9 Pin Molded	.15	-----	434-123	Pilot Light Midget	2.95	-----
434-69	Pilot Light	.45	-----	434-124	7 Pin Nuviator	1.00	-----
434-70	Transistor	.20	-----		<b>SOCKET RING</b>		
434-71	Pilot Lamp Red	.55	-----	435-4	Sub Miniature Round	.10	-----
434-72	Transistor	.40	-----	435-6	Sub Miniature Rect.	.10	-----
434-74	Crystal Ceramic	.15	-----	435-7	Sub Miniature Rect.	.10	-----
434-75	9 Pin Min.	.25	-----	435-8	Sub Miniature 7 Pin	.10	-----
434-76	Phono	.15	-----		<b>JACKS</b>		
434-77	9 Pin Wafer	.10	-----	436-1	Phone Two Terminal	.40	-----
434-78	9 Pin Molded	.15	-----	436-2	Black Banana	.10	-----
434-79	9 Pin Molded	.15	-----	436-3	Red Banana	.10	-----
434-80	7 Pin	.15	-----	436-4	Phone Two Terminal	.40	-----
434-81	7 Pin Sub Min.	.25	-----	436-5	Coaxial	.75	-----
434-M81	7 Pin Sub Min.	.30	-----	436-6	Phone Three Terminal	.75	-----
434-82	Double Phono	.10	-----	436-7	Banana Red	.20	-----
434-83	Pilot Lamp Min.	.10	-----	436-8	Banana Yellow	.20	-----
434-84	7 Pin Mica	.35	-----	436-9	Banana Green	.20	-----
434-85	Pilot Lamp Side Mount	.20	-----				
434-87	#47 Lamp	.35	-----	436-10	Banana Black	.20	-----
434-88	Pilot Light	.15	-----	436-11	Banana Red	.25	-----
434-90	Pilot Lamp Min.	.15	-----	436-12	Antenna Phono	.40	-----
434-91	7 Prong Min.	.20	-----	436-13	Phono Spl.	.90	-----
434-93	5 Pin Ceramic	3.85	-----	436-14	Phono Spl.	1.10	-----
434-94	Pilot Lamp Amber	.65	-----	436-15	High Voltage Coaxial	5.00	-----
434-95	Pilot Lamp Green	.65	-----	436-16	Phone 3 Term	.30	-----
434-96	4 Pin Ceramic	1.20	-----	436-17	Phone Two Terminal	.45	-----
434-97	3 Terminal 230 Volt	4.15	-----	436-19	Two Terminal	.50	-----
434-98	Pilot Light Min.	.25	-----	436-20	Two Terminal	.55	-----
434-99	Pilot Light Cand.	.20	-----	436-21	Two Terminal	.95	-----
434-101	4 Terminal Transistor	.25	-----		<b>JACK INSERT</b>		
434-102	4 Terminal Transistor	.20	-----	437-1	Banana	.10	-----
434-103	3 Terminal Transistor	.20	-----				
434-104	4 Terminal Transistor	.60	-----		<b>PLUGS</b>		
434-105	Octal Molded	.15	-----	438-3	Phone Two Terminal	.45	-----
434-106	110V Two Prong	.40	-----	438-4	Single Prong Phono	.10	-----
434-107	Single Phono	.25	-----	438-5	2 Prong Speaker	.10	-----
				438-6	Octal	.30	-----
				438-9	Coaxial	.75	-----

PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE	PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE
438-10	Crystal	.30	-----	446-M17	CB-1	.15	-----
438-11	AC Fused	.70	-----	446-18	TCR-1	.70	-----
438-12	Coaxial Insert	.25	-----	446-19	DF-3	1.05	-----
438-13	Banana	.20	-----	446-20F337	AJ-10	.60	-----
438-14	Banana	.55	-----	446-20F490	GDW-91W	.60	-----
438-16	Banana	.35	-----	446-20F539	AJ-31	.60	-----
438-17	110V AC	.15	-----	446-20F542-543	DA-287	.60	-----
438-18	Coaxial Insert	.25	-----	446-20F618	AJ-20	.60	-----
438-21	High Voltage Coaxial	5.00	-----	446-21	DF-3	1.35	-----
438-22	Octal	.30	-----	446-23F416	AJ-30	1.55	-----
438-23	3 Terminal Phone	1.80	-----	446-24F421	AA-100	1.60	-----
438-25	Single Prong Phono	.50	-----	446-25	DM-274	1.95	-----
438-26	Miniature Phono	.50	-----	446-27	MR-11	.15	-----
438-28	Phone 2000V AC	.70	-----	446-28F521-522	GR-21	1.45	-----
438-29	11 Pin	.50	-----	466-29	HG-10	1.05	-----
	<b>TEST PRODS</b>			446-30F591-609	AA-11	1.65	-----
439-1	Red	.45	-----	446-33F645-646	GRA-21-1	1.70	-----
439-2	Black	.45	-----	446-34	GR-21	.95	-----
439-3	(Short) Black	.25	-----		<b>GEAR</b>		
439-4	(Short) Red	.25	-----	451-1	Drive Large TC-1	.50	-----
	<b>CAP</b>			451-2	Small Roller TC-1	.20	-----
440-1	Octal Plug	.20	-----	451-5	Right Angle Driver DF-1	.55	-----
440-2	CR Tube Socket	.45	-----	451-6	Right Angle Pinion DF-1	.15	-----
440-3	Connector Plug	.10	-----	451-7	Gear Housing DF-1	.15	-----
440-4	9 Pin Connector	.10	-----	451-M8	Driver DF-2	.20	-----
	<b>ROLLER</b>			451-M9	Pinion DF-2	.25	-----
444-1	Chart Wood	.20	-----	451-12	Intermediary TX-1	.45	-----
444-3	Reel Tape	.45	-----	451-13	Dial Drive Pinion TX-1	.75	-----
444-4	Wood Dowel	.20	-----	451-14	Dial Drive TX-1	1.50	-----
444-5	Chart Plastic	.20	-----	451-15	Tuning Drive TX-1	.69	-----
444-7	Wood Dowel	.15	-----	451-16	Tuning Drive TX-1	1.20	-----
	<b>CHART</b>			451-17	Nylon Roll Chart TC-3	.25	-----
445-3	Calibration Scale GD-1A	.10	-----	451-18	Right Angle Drive MT-1	.50	-----
445-5	Chart Roll TC-3	1.15	-----	451-28	Gear Worm HX-10	1.20	-----
445-6	Chart Roll TT-1	1.15	-----	451-29	Gear Worm HX-10	1.30	-----
	<b>WINDOW</b>			451-30	Gear Worm HX-10	1.90	-----
446-M1	TC-1	.35	-----	451-31	Gear Worm HX-10	.80	-----
446-M2	GD-1B	.10	-----	451-32	Sprocket GD-20	1.05	-----
446-3	TC-2	.75	-----		<b>GEAR PIN</b>		
446-11	TX-1	.10	-----	452-1	Drive	.25	-----
446-12	DF-2	.10	-----	452-2	Gear Pin	.10	-----
446-13F249	PT-1	.95	-----	452-3	Roll 1.16" x 7.16"	.20	-----
446-13F462	AJ-11	.95	-----	452-4	Roll 1/16" x 3/8"	.10	-----
446-13F556-557-558	DA-286	.95	-----	452-5	Roll 3/16" x 1"	.10	-----
446-14	TC-3	.10	-----		<b>SHAFTS</b>		
446-15	MR-1-MT-1	.10	-----	453-2	Extension 1/4 Dia. x 1 1/4	.10	-----
446-16F266	FM-4	.45	-----	453-5	Extension 5/8 Dia. x 1-3/8	.70	-----
446-16F377	AJ-20	.45	-----	453-6	Drive .250 1/4"	.25	-----
				453-7	Extension 1/2 x 15/16	.90	-----

PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE	PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE
453-8	Extension 1½ Dia. x 2-1/8	.55	-----	453-69	Extension	.15	-----
453-9	Drive Assembly	.10	-----	453-70	Pulley 1-5/16 x ¼	.15	-----
453-10	Extension .245 x 1-9/16	.20	-----	453-71	Loading Ant.	.20	-----
453-11	Extension .245 x 1¾	.20	-----	453-72	¼ x 6-7/8	.25	-----
453-12	Extension ¼" Dia. x 2½"	.10	-----	453-73	¼ x 7-5/8	.15	-----
453-13	Driver .247 x 2"	.15	-----	453-75	¼ x 3¾	.10	-----
453-17	Extension ¼ x 9	.15	-----	453-76	¼ x 4-3/8	.55	-----
453-18	Extension ¼ x 6-11/16"	.15	-----	453-77	¼ x 7	.75	-----
453-19	Drive ¼ Dia.	.20	-----	453-78	Gear Pivot	.10	-----
453-20	Extension 3/16" x 1-7/8"	.35	-----	453-79	¼ x 1-7/8	.65	-----
453-21	Extension 4¼" x ¼" Dia.	.10	-----	453-80	¼ x 3-7/16	.75	-----
453-22	Extension 3/16" x 2¾"	.30	-----	453-81	Extension ¼ x 9-3/8	.85	-----
453-24	.250 x 12¼	.30	-----	453-82	¼ x 5¾	.90	-----
453-25	.250 x 1¾	.10	-----	453-83	¼" Dia.	.45	-----
453-26	.250 x 3-7/16	.20	-----	453-84	3-56 Threaded x 4-9/16"	.10	-----
453-27	.250 x 4"	.20	-----	453-87	Extension ¼ Dia. x 2¼	.45	-----
453-28	.250 x 4-15/16	.35	-----	453-88	Dial Drive	.25	-----
453-29	.250 x 4¾	.15	-----	453-89	Drive ¼ x 3"	.10	-----
453-30	.250 x 4¾	.35	-----	453-90	¼ x 1-7/8	.10	-----
453-31	.249 x 3-1/8	.15	-----	453-91	Extension 3¾ x ¼	.15	-----
453-32	.249 x 1¾	.15	-----	453-93	Drive ¼ Dia. x 2-3/8	.15	-----
453-33	.249 x 2-9/16	.10	-----	453-94	Extension .245 x 3-1/16	.45	-----
453-34	.249 x 11¾	.25	-----	453-95	Link .245 x 4-9/16	.85	-----
453-35	.249 x 4-3/8	.10	-----	453-96	Extension .1875 x 8	.10	-----
453-36	.249 x 3-7/8	.10	-----	453-97	¼ x 1-3/8	.15	-----
453-37	.248 x 3-7/32	.20	-----	453-98	.203 ID-.265 OD x 5¼	.30	-----
453-39	.249 x 5¼	.20	-----	453-99	¼ x 3-5/8	.15	-----
453-40	.249 x 2-1/8	.10	-----	453-100	Drive ¼ Dia. x 1-1/32	.35	-----
453-43	Extension ¼" x 1-15/16"	.35	-----	453-101	Armature 1/8 Dia. x 2-9/16	.10	-----
453-45	6" Long with ¼" Hubs	1.50	-----	453-102	Extension .249 Dia. x 7-7/8	.15	-----
453-46	Drive ¼" Dia. x 2-11/16"	.15	-----	453-103	Drive ¼ x 2-13/16	.15	-----
453-47	Drive ¼" Dia. x 12-5/8	.30	-----	453-104	Extension .249 Dia. x 1-11/16	.10	-----
453-48	Idler ¼" Dia. x 8¾	.20	-----	453-107	Extension .247 x 15-1/8	.30	-----
453-49	Take Up ¼" Dia. x 8¾	.25	-----	453-108	Shaft .1945 ID-.265 OD x 8"	.80	-----
453-52	Idler ¼" Dia. x 1-7/16"	.20	-----	453-109	Extension .1875 x 9¾	.30	-----
453-53	7/32" Dia. x 5/8"	.10	-----	453-111	Drive ¼ x 2¼	.10	-----
453-54	Extension ¼" x 11"	.20	-----	453-112	Extension ¼ x 7-3/8	.90	-----
453-56	¼" Dia. x 1-3/8"	.15	-----	453-113	Drive ¼ x 1¾	.25	-----
453-57	¼" Dia. x 3-3/8"	.20	-----	453-114	Drive ¼ x 1¾	.10	-----
453-58	¼" Dia. x 5"	.40	-----				
453-59	¼" Dia. x 3-1/8"	.20	-----				
453-60	Extension ¼" Dia. x 3¾"	.40	-----				
453-61	Extension ¼" Dia. x 4¾"	.10	-----				
453-62	Drive ¼" Dia. x 3-1/8"	.15	-----				
453-63	¼" Dia. x 6"	1.25	-----				
453-64	¼" Dia. x 1-7/8"	.30	-----				
453-65	Extension ¼" Dia. x 3-1/8"	.10	-----				
453-66	Extension ¼" Dia. x 5"	.10	-----				
453-67	Extension	.45	-----				
453-68	Extension	.20	-----				
<b>FLYWHEELS &amp; CAM</b>							
454-1	Cam. Dial Drive Stop TX-1	.20	-----	454-1	Cam. Dial Drive Stop TX-1	.20	-----
454-2	Flywheel 2¼" OD x 5/8" PT-1	.70	-----	454-2	Flywheel 2¼" OD x 5/8" PT-1	.70	-----
454-3	Brake Drum SW-1	.95	-----	454-3	Brake Drum SW-1	.95	-----
454-5	Reel Face Plate SW-1	.35	-----	454-5	Reel Face Plate SW-1	.35	-----
454-6	Idler Wheel SW-1	.55	-----	454-6	Idler Wheel SW-1	.55	-----
454-7	Reel Lock SW-1	.45	-----	454-7	Reel Lock SW-1	.45	-----
454-8	Face Plate Pads SW-1	.15	-----	454-8	Face Plate Pads SW-1	.15	-----
454-9	Cam Idler SW-1	.10	-----	454-9	Cam Idler SW-1	.10	-----
454-10	Reel Adaptor SW-1	.15	-----	454-10	Reel Adaptor SW-1	.15	-----
454-12	Flywheel 1¼ OD x 5/8" GC-1	.45	-----	454-12	Flywheel 1¼ OD x 5/8" GC-1	.45	-----

PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE	PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE
<b>BUSHINGS</b>				<b>KNOBS</b>			
455-2	Pointer	.15	-----	462-2	Pointer	.50	-----
455-4	Dial Pulley	.10	-----	462-7	Lever Switch	.10	-----
455-6	Shaft	.10	-----	462-M11	Pointer	.15	-----
455-7	Shaft	.15	-----	462-12	Dial	.35	-----
455-8	Threaded	.10	-----	462-13	Dial	.15	-----
455-9	3/8 x 1/4 ID Threaded	.10	-----	462-14	Black - Chrome	.30	-----
455-10	3/8 x 17/64 Threaded	.10	-----	462-17	Pointer	.15	-----
455-11	1/2 OD x 3/16 ID x 5/16"	.10	-----	462-18	General	.15	-----
455-13	Shaft	.10	-----	462-19	General	.20	-----
455-14	Pointer	.15	-----	462-20	Special	.60	-----
455-15	1/2" OD x 1/4" ID x 1/4"	.10	-----	462-21	"CRL" Special	.40	-----
455-16	1-5/32" Dia. x 1/4"	.15	-----	462-22	Ring CRL	.45	-----
455-17	9/16 x 17/64 ID Threaded	.20	-----	462-23	Black	.40	-----
455-18	9/16 x 1/4" ID Threaded	.15	-----	462-24	Black - White	.20	-----
455-19	Dial Drive Bearing	.10	-----	462-27	Gray - Bronze	.20	-----
455-20	Dial Drum Left	.20	-----	462-28	Gray - Bronze	.25	-----
455-21	Dial	.15	-----	462-29	General	.20	-----
455-23	Threaded 25/32 x 1/4" Dia.	.15	-----	462-30	Gray Spl.	.20	-----
455-24	1/4" ID 3/8-22 x 1"	.15	-----	462-32	Dual Control	.25	-----
455-26	7/16" x 1/4" ID Threaded	.15	-----	462-35	Gray Round	.55	-----
455-27	Brass 5/16" ID	.15	-----	462-36	Dual Control	.25	-----
455-28	Threaded	.10	-----	462-37	Indicator	.60	-----
455-31	1/4 x 3/8 Threaded	.15	-----	462-38	Gray - White	.20	-----
455-32	For .268 Shaft	.15	-----	462-40	Red Special	.25	-----
455-33	Counter Shaft	.25	-----	462-43	Large Gray	.30	-----
455-34	Counter Shaft	.25	-----	462-44	Large Gray	.25	-----
455-35	Sprocket	.15	-----	462-47	Indicator Top	.35	-----
455-36	Pointer	.30	-----	462-48	Indicator Front	.35	-----
455-37	Dial Pulley	.55	-----	462-50	Lever	.30	-----
455-38	5/16 x .267-.269 ID	.10	-----	462-51	Speed	.25	-----
455-39	Bandspread Dial	.15	-----	462-52	Black	.20	-----
<b>COUPLING</b>				462-53	Black Dual	.20	-----
456-1	Shaft Flexible	.60	-----	462-M55	Gray Round	.25	-----
456-4	Insulating Shaft	.70	-----	462-56	Pointer	.20	-----
456-7	Coupling Metal	.25	-----	462-57	Gray Plastic	.20	-----
456-8	Flexible	1.30	-----	462-58	Control Aluminum	1.35	-----
456-9	Female	.45	-----	462-59	Control Aluminum	.65	-----
456-10	Flexible	.40	-----	462-60	Control Aluminum	.70	-----
456-12	Shaft Threaded	.45	-----	462-61	Control Aluminum	.65	-----
456-13	Shaft Threaded	.25	-----	462-64	Interlock Button	.15	-----
<b>SLEEVE ADAPTOR</b>				462-65	Interlock	.20	-----
457-5	Support 1/4 OD	.60	-----	462-66	Plastic	.25	-----
457-6	Molded Support	.40	-----	462-67	Plastic	.25	-----
<b>PROBE PARTS</b>				462-68	Black Serrated	.25	-----
459-1	Probe End	.15	-----	462-69	Black Serrated	.30	-----
459-M2	Probe Tip	.20	-----	462-70	Large Concentric	.35	-----
459-M3	Probe Body	.15	-----	462-71	Small Concentric	.35	-----
459-4	Probe End	.15	-----	462-72	Thumb Wheel	.20	-----
459-M5	Probe End	.15	-----	462-73	Push Button	.10	-----
459-6	Probe Switch Lever	.20	-----	462-74	Push Button	.10	-----
459-7	Probe Insulator	.20	-----				

PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE	PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE
462-75	Small Pointer	.25	-----	462-131	Black Plastic	.20	-----
462-78	Plastic Black	.25	-----	462-M132	Push Button	.10	-----
462-79	Plastic Black	.35	-----	462-133	Grey-Silver Insert	.20	-----
462-80	Lever Green	.10	-----	462-134	Grey Plastic	.35	-----
462-81	Indicator Base	.40	-----	462-135	Turquoise Plastic	.20	-----
462-82	Black Special	.20	-----	462-136	With Pointer	.40	-----
462-84	Plastic Black	.25	-----	462-137	With Pointer	.25	-----
462-85	Plastic Mocha	.25	-----	462-138	Black-Aluminum Insert	.30	-----
462-86	Lever Mocha	.35	-----	462-139	Black-Aluminum Insert	.30	-----
462-87	Mocha Small	.10	-----	462-140	Black-Aluminum Insert	.30	-----
462-88	Beige Large	.20	-----	462-141	Control	.25	-----
462-89	Mocha Beige	.30	-----	462-143	Push Button	.10	-----
462-90	Black - Gold	.35	-----	462-144	Thumb Wheel	.25	-----
462-91	Clear Plastic	.40	-----	462-145	Brown-Gold Insert	1.50	-----
462-92	With Pointer	.70	-----	462-146	Dial Indicator	.45	-----
462-93	With Pointer	.20	-----	462-147	Black-Aluminum Insert	.30	-----
462-94	With Pointer	.30	-----	462-148	Black-Aluminum Inlay	.35	-----
462-95	With Pointer	.30	-----	462-149	Black-Aluminum Inlay	.30	-----
462-96	Silver Insert	.20	-----	462-150	Black-Aluminum Inlay	.30	-----
462-97	Top Hat	.10	-----	462-151	Black-Aluminum Inlay	.30	-----
462-98	With Pointer	.20	-----	462-152	Black-Aluminum Inlay	.30	-----
462-99	Split Shaft (Ivory)	.10	-----	462-153	Black-Aluminum Inlay	.30	-----
462-100	Indicator Base	1.00	-----	462-154	Black Plastic	.15	-----
462-101	With Pointer	.40	-----	462-156	Push Button	.25	-----
462-102	With Pointer	.20	-----	462-157	Chrome Plated	1.35	-----
462-105	Telegraph Key	.10	-----	462-158	Chrome Plated	.95	-----
462-106	Black Plastic	.15	-----	462-159	Black-Aluminum Insert	.30	-----
462-108	Black Plastic	.15	-----	462-160	Brown Plastic	.35	-----
462-109	Black Plastic	.20	-----	462-161	Brown-Gold Inlay	.40	-----
462-110	Red Plastic	.15	-----	462-162	Brown-Gold Skirt	.90	-----
462-111	Plastic Green	.15	-----	462-163	Clock Control	.20	-----
462-112	White Plastic	.15	-----	462-164	Dial Tuning	.30	-----
462-113	Red Plastic	.15	-----	462-165	Volume Control	.30	-----
462-114	Plastic Turquoise	.30	-----	462-166	Dial Tuning	.35	-----
462-115	Plastic Turquoise	.35	-----	462-167	Volume Control	.35	-----
462-116	Turquoise Aluminum	.75	-----	462-168	Apache Green	.20	-----
462-117	Black Plastic	.30	-----	462-169	Transmit Bar	.35	-----
462-118	Clear Plastic	.15	-----	462-170	Beige-Gold Insert	.45	-----
462-119	Black Plastic	.30	-----	462-171	Black Plastic	.20	-----
462-120	Plastic Black	.40	-----	462-172	Chrome Plated	.80	-----
462-121	Green Plastic	.45	-----	462-173	Grey-Black Pointer	.35	-----
462-122	Grey Plastic	.20	-----	462-174	Grey-Aluminum Inlay	.30	-----
462-123	Clear Plastic	.30	-----		<b>POINTER</b>		
462-124	Plastic Black	.40	-----	463-1	Dial - Red	.20	-----
462-125	Dark Brown	.50	-----	463-M3	Dial Clear	.10	-----
462-126	Dark Brown	.20	-----	463-M4	Dial Clear	.10	-----
462-127	Dark Brown	.35	-----	463-5	Dial Plastic	.75	-----
462-128	Zinc Chrome Plated	1.80	-----	463-M7	Dial Clear	.10	-----
462-129	Chrome Plated	.65	-----	463-M8	Dial White	.10	-----
462-130	Chrome Plated	.60	-----	463-M9	Dial Clear	.10	-----



PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE	PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE
463-11	Dial White	.25	-----	466-4	4" Diameter	.15	-----
463-M12	Special	.10	-----	466-5	Diameter 3.343	.15	-----
463-13	Special	.75	-----	466-6	3/8" Dia.	.10	-----
463-M14	Clear	.10	-----	466-7	3/8" Dia.	.10	-----
463-15	Dial Black	.20	-----	466-8	1-1/8" Diameter	.10	-----
463-16	Indicator	.75	-----	466-9	3-3/6" OD	.15	-----
463-17	Dial	.15	-----	466-10	Drive Band 3/4" Dia.	.40	-----
463-18	Dial White	.20	-----	466-11	1 1/2" Dia.	.10	-----
463-19	Dial Ivory	.10	-----	466-12	2 1/2" Dia.	.10	-----
463-20	Dial White	.20	-----	466-13	9/16" Dia.	.25	-----
463-M21F431	Dial Clear	.10	-----	466-14	9/16" Dia.	.25	-----
463-22	Dial White	.20	-----	466-15	V Belt	5.00	-----
463-23	Dial Red	.20	-----	466-17	Dial	.10	-----
463-25	Dial White	.30	-----	466-18	V Belt Dual	1.45	-----
463-26	Diamond Head	.55	-----		<b>CONTACTOR</b>		
463-27	Position Indicator	.20	-----	469-1	Winding Contactor	1.45	-----
463-28	Dial Clear	.20	-----	469-2	Ground Brush	.10	-----
463-29	Dial Vermilion	.20	-----	469-4	Slip Ring	.10	-----
463-30	Dial White	.25	-----	469-5	Carbon Brush	.90	-----
463-31	Dial Vermilion	.30	-----	469-6	Winding Contactor	1.55	-----
463-32	Dial	.20	-----	469-8	Carbon Brush	1.00	-----
	<b>DIALS</b>				<b>AIR FILTERS</b>		
464-1	AM-1	.55	-----	470-1	Cleanable 6 x 6 x 1/2	3.90	-----
464-M3	Plastic VF-1	.50	-----		<b>MAGNETS</b>		
464-5	ES-450	10.35	-----	474-1	Ferrite	.45	-----
464-7	Plastic Drum RX-1	2.05	-----	474-2	Ferrite Cylindrical	.10	-----
464-8	Plastic DF-2	.45	-----	474-3	Wafer Ferrite	.15	-----
464-9F250	Plastic VHF-1	1.50	-----	474-4	Ring Small Ferrite	.15	-----
464-9F450	Plastic HX-10	1.50	-----	474-5	Ring Large Ferrite	.25	-----
464-10	Plastic Drum TX-1	2.05	-----		<b>RF CORE</b>		
464-11	Plastic Drum MT-1	1.55	-----	475-2	1-7/8" x 5/32" Dia.	.15	-----
464-12	Plastic Drum MR-1	1.55	-----	475-3	RF with Screw	.15	-----
464-13	Plastic Circular DS-1	1.15	-----	475-4	RF with Screw	.40	-----
464-14F311	Plastic GC-1	1.25	-----	475-5	"I" 1/2" x 1/2" x 1"	.55	-----
464-15F391	Plastic Plate HW-20	.85	-----	475-6	"U" 1" x 5/8"	1.45	-----
464-15F417	Plastic Plate HW-10	.85	-----		<b>PROBE BODY</b>		
464-18	Plate Circular HX-10	1.10	-----	476-2	Probe Body H. V.	1.55	-----
464-19	Plastic Drum HG-10	1.40	-----	476-7	Probe Body P-to-P	.45	-----
464-20F614-655	Plastic Plate GR-91	1.00	-----	476-8	Probe Body RF	.30	-----
464-21F613	Plastic Circular GR-91	.10	-----	476-9	Probe Barrel RC-1	3.25	-----
464-22	Aluminum Drum HM-10	.20	-----	476-11	Probe Body T-4	.35	-----
464-23F650	Plastic Plate HR-10	1.40	-----	476-12	Probe Body PK-1	.45	-----
464-25	Plastic Circular DM-234	1.15	-----	476-13	Probe Body Front IM-11	.30	-----
	<b>COUNTERS</b>			476-14	Probe Body Center IM-11	.20	-----
465-1	Tape Deck	9.50	-----	476-15	Probe Body Rear IM-11	.20	-----
	<b>PULLEYS</b>				<b>PROBE TIP</b>		
466-1	Dial	.10	-----	477-3	Probe Tip Solderless	.15	-----
466-2	Idler	.10	-----	477-6	Probe Tip IM-11	.55	-----
466-3	Standard Drive	.10	-----				

PART NO.	DESCRIPTION	HEATH PRICE	DEALER PRICE
<b>MICROPHONE &amp; ACCESSORIES</b>			
480-6	Microphone with Cable	4.85	.....
480-8	Microphone with Cable	5.00	.....
480-10	Microphone with Cable	9.00	.....
480-14	Microphone with Cord	7.35	.....
480-15	Desk Stand	.15	.....
480-16	Base Dowel	.25	.....
480-M17	Microphone Hood	.25	.....
480-M18	Microphone Face	.10	.....
480-19	Microphone & Cord	13.70	.....
480-20	Mouthpiece	.15	.....
480-21	Microphone & Cord	8.30	.....
480-22	Microphone & Cord	10.25	.....
480-23	Hand Set	25.10	.....
<b>MOUNTING WAFER</b>			
481-1	4 Prong Metal	.10	.....
481-2	3 Prong Metal	.10	.....
481-3	4 Prong Insulated	.10	.....
481-4	3 Prong Insulated	.10	.....
<b>MOUNTING STRIP</b>			
482-M2	(Chassis) Aluminum	.10	.....
<b>PLUG BUTTON</b>			
485-1	1-1/8" Hole	.10	.....
485-2	3/8" Hole	.20	.....
485-2F	3/8" Hole	.20	.....
485-3	2" Hole	.20	.....
485-M4	2" Hole	.15	.....
485-5	1 1/4" Hole	.10	.....
485-M6	1/2" Hole	.10	.....
485-M7	1/4" Hole	.10	.....
485-8	Plastic	.15	.....
485-9	13/16" Hole	.10	.....
485-M9	5/16" Hole	.10	.....
485-10	9/16" Hole	.10	.....